

Report No. NADC-90088-60



AD-A231 094

ENHANCING TOLERANCE TO ACCELERATION (+G_z) STRESS: THE "HOOK" MANEUVER

James E. Whinnery, M.D., Ph.D. and Duane C. Murray, HMC, USN
Air Vehicle and Crew Systems Technology Department (Code 602C)
NAVAL AIR DEVELOPMENT CENTER
Warminster, PA 18974-5000

20 AUGUST 1990

FINAL REPORT
Period Covering 1 August 1990 to 14 August 1990

Approved for Public Release; Distribution is Unlimited

DTIC
SELECTED
JAN 17 1991
S E D

Prepared for
Air Vehicle and Crew Systems Technology Department (Code 602C)
NAVAL AIR DEVELOPMENT CENTER
Warminster, PA 18974-5000

91 1 17 020

NOTICES

REPORT NUMBERING SYSTEM — The numbering of technical project reports issued by the Naval Air Development Center is arranged for specific identification purposes. Each number consists of the Center acronym, the calendar year in which the number was assigned, the sequence number of the report within the specific calendar year, and the official 2-digit correspondence code of the Command Officer or the Functional Department responsible for the report. For example: Report No. NADC-88020-60 indicates the twentieth Center report for the year 1988 and prepared by the Air Vehicle and Crew Systems Technology Department. The numerical codes are as follows:

CODE	OFFICE OR DEPARTMENT
00	Commander, Naval Air Development Center
01	Technical Director, Naval Air Development Center
05	Computer Department
10	AntiSubmarine Warfare Systems Department
20	Tactical Air Systems Department
30	Warfare Systems Analysis Department
40	Communication Navigation Technology Department
50	Mission Avionics Technology Department
60	Air Vehicle & Crew Systems Technology Department
70	Systems & Software Technology Department
80	Engineering Support Group
90	Test & Evaluation Group

PRODUCT ENDORSEMENT — The discussion or instructions concerning commercial products herein do not constitute an endorsement by the Government nor do they convey or imply the license or right to use such products.

Reviewed By: _____ Date: _____
Branch Head

Reviewed By: J. H. Jones Date: 23 Oct 90
Division Head


Reviewed By: W. J. Smith Date: 12/7/90
Director/Deputy Director

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				Form Approved OMB No 0704-0188	
1a REPORT SECURITY CLASSIFICATION Unclassified		1b RESTRICTIVE MARKINGS			
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION AVAILABILITY OF REPORT Approved for Public Release; Distribution is Unlimited			
2b DECLASSIFICATION/DOWNGRADING SCHEDULE					
4 PERFORMING ORGANIZATION REPORT NUMBER(S) NADC-90088-60		5 MONITORING ORGANIZATION REPORT NUMBER(S)			
6a NAME OF PERFORMING ORGANIZATION Air Vehicle and Crew Systems Technology Department	6b OFFICE SYMBOL (If applicable) Code 602C	7a NAME OF MONITORING ORGANIZATION			
6c ADDRESS (City, State, and ZIP Code) NAVAL AIR DEVELOPMENT CENTER Warminster, PA 18974-5000		7b ADDRESS (City, State, and ZIP Code)			
8a NAME OF FUNDING SPONSORING ORGANIZATION Air Vehicle and Crew Systems Technology Department	8b OFFICE SYMBOL (If applicable) Code 602C	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
8c ADDRESS (City, State, and ZIP Code) NAVAL AIR DEVELOPMENT CENTER Warminster, PA 18974-5000		10a SOURCE OF FUNDING NUMBER PROGRAM ELEMENT NO	PROJECT NO	TASK NO	WORK UNIT ACCESSION NO
11 TITLE (Include Security Classification) Enhancing Tolerance To Acceleration (+G _z) Stress: The "Hook" Maneuver					
12 PERSONAL AUTHOR(S) James E. Whinnery, M.D., Ph.D and Duane C. Murray, HMC, USN					
13a TYPE OF REPORT Final	13b TIME COVERED FROM 8-1-90 TO 8-14-90	14 DATE OF REPORT (Year, Month, Day) 1990 August 20		15 PAGE COUNT	
16 SUPPLEMENTARY NOTES <i>Accepted for publication in Aviation, Space, and Environmental Medicine</i>					
17 COSAT CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB GROUP			
23	2		Fighter Aviation Centrifuge Acceleration Protection Cardiovascular Aircrew Training Muscular		
19 ABSTRACT (Continue on reverse if necessary and identify by block number) Anti-G straining maneuvers (AGSM) have been utilized by aircrew to enhance tolerance to +G _z stress and reduce the potential for +G _z - induced loss of consciousness (G-LOC). Based on many years of teaching individuals to perform an optimum AGSM, one particular technique has proven to be especially useful. This technique is referred to as the "Hook" maneuver. We strongly prefer not giving a particular name (such as M-1 or L-1) to the AGSM when training aircrew. The "Hook" maneuver simply emphasizes the proper mechanics for physiologic enhancement of tolerance. Experience with training a large number of tactical aircrew on the centrifuge has proven the "Hook" maneuver to be an extremely effective teaching tool which is easily understood, rapidly mastered, and easily remembered. A description of the "Hook" maneuver has been requested by many interested groups and is described in this manuscript. It should be emphasized that the optimum AGSM for an individual aviator in a given aerial combat situation is the one that is most effective for him in that situation.					
20 DISTRIBUTION AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/AVAILABILITY <input type="checkbox"/> SAME AS REPORT <input type="checkbox"/> OTHER			21 ABSTRACT SECURITY CLASSIFICATION Unclassified		
22 NAME OF PERSON RESPONSIBLE FOR ABSTRACT James E. Whinnery Ph.D., M.D.			23 AUTHORING OR PERFORMING ORGANIZATION REPORT NUMBER 15-441-2023 602C		

SECURITY CLASSIFICATION OF THIS PAGE



CONTENTS

	Page
FIGURES	iv
TABLES	iv
INTRODUCTION	1
THE "HOOK" MANEUVER	2
CONCLUSION	5

Accession For	
NTIS GNA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

FIGURES

Figure		Page
1	Schematic Of The Respiratory Tract. Note The Location For Optimum Closure Of The Respiratory Tract At The Glottis.	7
2	Physiological Mechanics Of Increasing Tolerance To +G _z With The Anti-G Straining Maneuver	8
3	Rapid Onset +G _z Exposure Profile With Performance Of The "Hook" Maneuver. The Timing Of The Respiratory Component And The Resulting (Example) Head Level Blood Pressure (mmHg) Are Also Shown	9
4	The Resulting Consequences Of Holding The Respiratory Component Of The Anti-G Straining Maneuver Too Long, Which Causes A Prolonged Loss Of Return Of Blood Flow To The Chest (Heart)	10

TABLES

Table		Page
1	Sequence Of Performing The "Hook" Maneuver	6

INTRODUCTION

Anti-G straining maneuvers (AGSM) have been known to enhance +G_z-level tolerance for at least 50 years. During World War II a specific technique developed by the scientists at the Mayo Clinic involved simply yelling during exposure to +G_z to reduce visual loss (blackout). Straining maneuvers involving forced expiration against a partially closed glottis became known as M-1 (and M-2) AGSM's. The importance of concurrent tensing of the skeletal muscles was considered an important part of these AGSM's. Many considered the excessive noise (reduced ability to communicate) and throat irritation to be undesirable aspects of the M-1 AGSM. Leverett and co-workers suggested modifying the M-1 to reduce these undesired aspects without altering its protective value. The L-1 AGSM was developed requiring complete closure of the glottis along with concurrent skeletal muscle tensing. This L-1 technique was shown to be equally, if not more, effective than the M-1. The only drawback was the problem with some individuals holding the pressure (closed glottis) for an excessively long time. Holding a very-high intrathoracic pressure for 7 to 10 seconds, even with concurrent skeletal muscle tensing, can markedly reduce return of venous blood to the heart. This can result in loss of consciousness, similar to that which results when performing a sustained Valsalva maneuver (no concurrent skeletal muscle tensing). Complete closure of the glottis not to exceed 5 seconds was considered the upper limit of maintaining increased chest pressure. Many aviators were taught the M-1 AGSM and effectively utilized it. There is evidence that shows maximum intrathoracic pressure is developed with complete closure of the glottis (L-1). For this reason, along with the reduced noise and throat irritation, we have consistently recommended the L-1 maneuver instead of the M-1 maneuver. The tradition of the M-1, however, dies hard when recommended by veteran aviators and instructors. In fact, we believe that even bringing up the M-1/L-1 terminology for performing an AGSM is counterproductive. We prefer the general terminology, simply teaching that an AGSM can increase +G_z level tolerance if performed correctly. Most aircrew that we have observed actually perform something of a hybrid M-1/L-1. The hybrid AGSM generally begins with an L-1 and ends with an M-1. It is usually very effective. Most importantly, aviators should perform what is most effective for them individually in

a given circumstance. This includes not only effectively increasing blood pressure to ensure adequate blood flow to the central nervous system, but also involves maximum energy conservation to reduce overall fatigue.

For aviators who are uninitiated or unsure of how to perform a proficient AGSM, we have found that instead of insisting on specifically naming the AGSM as an M-1 or L-1, it is advantageous to concentrate on the mechanics of the AGSM. To this end, we teach the "Hook" maneuver. This is not to give the AGSM a specific name, it is just a method to show the aviator how to perform it. Optimally, it is an L-1 maneuver (with the glottis completely closed). The mechanics of the "Hook" maneuver are taught as described in the next section, with constant emphasis on energy conservation and using the appropriate AGSM technique for the specific aerial combat situation.

THE "HOOK" MANEUVER

There are two components to the recommended AGSM. The first component is a continuous and maximum contraction (if necessary) of all skeletal muscles. This includes the arms, legs, chest, and abdominal muscles (and any other muscles if possible). Tensing of the skeletal muscles reduces the pooling of blood in the $+G_z$ dependent areas of the body (especially the abdomen and legs), retaining or returning the blood to the central circulation and therefore to the heart and subsequently the brain. Tensing the skeletal muscles inherently raises the blood pressure also. The second component of the AGSM is the respiratory component. It is repeatedly performed at 2.5 to 3.0 second cycles. The purpose of the respiratory component is to increase the intrathoracic (chest) pressure as shown in Figure 1. Increased chest pressure in the lungs is transmitted to the heart and large arteries in the chest, which in turn increases the driving pressure and blood flow to the brain against the downward $+G_z$ force. The optimum generation of increased chest pressure is achieved by completely closing the glottis. As shown in Figure 2, the respiratory tract is an open system for breathing starting at the nose

and mouth and ending deep in the lungs. The respiratory tract can be completely closed off at several different points. It can be closed off at the lips, at the nose, or with the tongue at the back of the mouth/throat. The most effective way, however, is to close it off at the glottis. The glottis is located behind the "Adams apple" in the throat. You can find it and close it off by saying the word "Hook" with your mouth open. Say the word "Hook" and catch it about 3/4 of the way through the word . . . "Hoo". This should be said following a deep inspiration and forcefully closing the glottis as you say "HOOK". Bear down maximally for 2.5 to 3.0 seconds. Then rapidly and forcefully exhale by finishing the word Hook . . . "ka". This is followed immediately by the next deep inhalation and again saying "Hook" catching it about 3/4 of the way through the word . . . "Hoo". The exhalation and inhalation phase should last no more than 0.5 to 1.0 seconds. The chest pressure falls dramatically during the 0.5 to 1.0 second exhalation and inhalation phase. This sequence is outlined in Table 1 and Figure 3. It is important that it not be held too long since driving pressure and blood flow to the brain are markedly reduced during this phase. It is, however, during this phase that blood flow rapidly returns into the chest and heart. This is aided by the maximally tensed skeletal muscles and the anti-G suit. The blood is then rapidly ejected on the next increased chest pressure cycle. Overall, this is analogous to giving oneself cardiopulmonary resuscitation (CPR). Don't forget not to hold your respiratory straining too long (5 seconds or more) since this prevents return of blood to the heart. It starves the pump and may result in loss of consciousness as illustrated in Figure 4.

It is important to anticipate a rapid-onset, high $+G_z$ exposure whenever possible. The skeletal muscles should be tensed prior to the onset of $+G_z$, with the deep inspiration and "Hook" initiated instantly as the $+G_z$ begins (not too early and not too late). Too early without $+G_z$ -stress can be disadvantageous since it may inhibit the protective cardiovascular reflex responses. Too late and it may be difficult (or impossible) to get a full, deep initial inspiration. Getting behind in initiating the AGSM is a difficult, if not impossible situation to make-up without reducing the $+G_z$ -stress. The overall sequence is shown in Figure 3 and is continued throughout the $+G_z$ exposure, stopping only when return to a very

low +G_z-level is achieved. Don't stop too early.

Only the physical exertion necessary should be expended. Remember always conserve energy, for the next maneuver, engagement, or sortie. This requires a thorough knowledge of your own individual tolerance which may vary from day to day. Additional factors include the optimum snug fit of the anti-G suit which will assist in performing the most effective muscular tensing. Make sure your G-suit is properly plugged into the rapidly responding anti-G valve. Push the press-to-test! Adequate muscular warm-up of your muscles prior to performing a maximum AGSM will ensure optimal muscular tensing. (Don't forget your neck muscles, including range of motion and flexibility of neck movement) Finally, don't forget to accomplish some low level (approximately +3G_z in tactical aircraft equipment) anti-G suits) G-awareness turns (lasting approximately 10 seconds) prior to requiring an all-out rapid-onset, sustained high G maneuver. The G-awareness turns ensure the anti-G suit is comfortable and functioning properly, your muscles are warmed-up, and your cardiovascular reflexes are mobilized. If you have any symptoms (grayout or blackout) at this low level of +G_z-stress analyze the reasons why. If they are correctable, great. If not, the better part of valor may be to return to base without pushing the +G_z envelope on a particular day. Everyone's tolerance can vary and on a given day they can dip to a dangerous low level, increasing the risk for G-LOC. This may be especially true if you are not fully acclimated to +G_z following a long layoff from flying or participating in flights involving some +G_z-maneuvering. Analyze the muscles you utilize in your own AGSM. Integrate your physical conditioning program to achieve maximum strength and endurance in those muscle groups. In closing, if you need a maximal AGSM or a rapid-onset, high G maneuver to defeat an enemy or missile, pull out that well polished "Hook" maneuver you have in your hip pocket. It should be second nature and performed automatically without even thinking. Just say "Hook!"

It should be emphasized that every aviator has his own technique for performing his optimal AGSM. The one that gives him the best protection while he accomplishes his mission is the right one. The

NADC-90088-60

"Hook" maneuver is extremely effective and can allow many individuals to successfully achieve +10G_z to +12G_z for 15 to 20 seconds, levels you will hopefully never need. If you have trouble or are in doubt ask for assistance. Your aerospace physiologist or flight surgeon are all willing to help. Alternate maneuvers can be very effective in certain individuals. If you are unsure sign-up for centrifuge training, which will provide a safe environment to perfect your own technique so you will maximally and safely utilize your weapon system to its full capability.

CONCLUSION

In closing, we are not trying to indicate that the method we describe is the only effective way to perform an AGSM. Some aviators may prefer other techniques. The traditional M-1 and L-1 AGSM or variations such as the Chinese "Q-G" maneuver may be the preferred description/technique by some. The most effective technique in a given aerial combat situation must be an individual decision. We have simply found this "Hook" maneuver method to be an extremely effective teaching tool. One that is easily understood, rapidly mastered, and easily remembered by fighter-attack aviators. It is very useful when trying to coach an aviator who is having trouble during a short 10 to 15 second centrifuge training run. The instructor has merely to suggest "Say Hook!" to the trainee. A large number of veteran USAF, USAF, and USN aviators have strongly praised the technique.

NADC-90088-60

Table 1. Sequence Of Performing, The "Hook" Maneuver.

A. Muscular Component

Maximum tensing of all skeletal muscles.

B. Respiratory Component

1. Rapid, deep inspiration
2. Forcefully initiate exhalation by saying

DURATION "Hook" and holding it 3/4 of the way
2.5-3.0 sec. through the word "HOOO. . ."

3. Completely close glottis
4. Maximum abdominal and chest muscle tensing

DURATION 5. Rapid, forceful exhalation - finish the work
0.5-1.0 sec. "HOOK" by blowing out "KA . . ."

REPEAT SEQUENCE




Figure 1. Schematic Of The Respiratory Tract. Note The Location For Optimum Closure Of The Respiratory Tract At The Glottis.




Figure 2. Physiological Mechanics Of Increasing Tolerance To $+G_z$ With The Anti-G Straining Maneuver.




Figure 3. Rapid onset +G_z Exposure Profile With Performance Of The "Hook" Maneuver. The Timing Of The Respiratory Component And The Resulting (Example) Head Level Blood Pressure (mmHg) Are Also Shown.




Figure 4. The Resulting Consequences Of Holding The Respiratory Component Of The Anti-G Straining Maneuver Too Long, Which Causes A Prolonged Loss Of Return Of Blood Flow To The Chest (Heart).

DISTRIBUTION LIST (Continued)
Report No. NADC-90088-60

	No. of Copies
Dr. David Glaister, Royal Air Force Institute of Aviation Medicine Farnborough, Haris; United Kingdom	1
Mr. Michael Paul, Defense and Civil Institute of Environmental Medicine 1133 Sheppard Avenue P.O. Box 2000 Downsview, Ontario, Canada	1
Mr. Floyd McGowan P.O. Box 35 Chapman, Alabama 36015	1
Air University Library AUL/LSE, Maxwell AFB, AL 36112	1
USAFSAM Brooks AFB, TX 78235 (Strughold Aeromedical Library/TSK-4)	1
Commander, USAF Armstrong Aerospace Medical Research Lab Wright-Patterson AFB, OH 45433	1
Commander, Naval Training Systems Command 12350 Research Parkway Orlando, FL 32826	1
U.S. Air Force Tactical Air Command Office of the Command Surgeon (SGP) Langley AFB, VA 23665	1
Naval Air Development Center Warminster, PA 18974-5000 (30 Copies for Office of Chief Aeromedical Scientist) (2 Copies for Code 8131)	32
Commander, Naval Air Systems Command Washington, DC 20361 (3 Copies for AIR-320R) (2 Copies for AIR-931H) (1 Copy for AIR-531B) (2 Copies for AIR \-5004)	8
1299th Physiological Training Flight Malcolm Grow USAF Medical Center Andrews AFB, Washington, DC 20331-5300	1

DISTRIBUTION LIST (Continued)
Report No. NADC-90088-60

	No. of Copies
Air Force Office of Scientific Research Bolling AFB, DC 20332-6448	1
Naval Aerospace Medical Institute Naval Air Station, Pensacola, FL 32508	2
FAA Civil Aeromedical Institute Oklahoma City, OK 73124	1
NASA Ames Research Center Moffott Field, CA 94035	1
NASA Johnson Space Center Houston, TX 77058	1
Dr. Dov Jaron Drexel University Philadelphia, PA 19104	1
Dr. Steven Dubin, University of Pennsylvania Philadelphia, PA 19104	1
Commandant of the Marine Headquarters Marine Corps Washington, DC 20380	
Naval Weapons Center China Lake, CA 93555-6001	1
Naval Air Force U.S. Pacific Fleet NAS North Island San Diego, CA 92135	1
Commander Naval Air Force, U.S. Atlantic Fleet Norfolk, VA 23511-5188	1
Center for Naval Analyses 4401 Fort Ave., P.O. Box 16268 Alexandria, VA 22302-0268	1
Dr. Earl Wood, Mayo Clinic Rochester, MN 55905	1
Mr. Robert Montgomery Aeromedical Training Institute ETC Corporation Southampton, PA 18966	1

DISTRIBUTION LIST
Report No. NADC-90088-60

	No. of Copies
Defense Technical Information Center Bldg. 5, Cameron Station, Alexandria, VA 22314	2
Chief of Naval Operations Dept of the Navy, Washington, DC 20350 (1 Copy for NOP-506N) (1 Copy for NOP-591) (1 Copy for NOP-05H) (1 Copy for NOP-09E)	4
Naval Aerospace Medicine institute Naval Air Station, Pensacola, FL 32508	2
Office of Naval Research Code 1433, Washington, DC 20375 (1 Copy for Code 1433)	1
Naval Postgraduate School Monterey, CA 93940	1
USAF School of Aerospace Medicine USAFSAM/VNB, Brooks AFB, TX 78235 (1 Copy for Dr. Kent K. Gillingham)	1
USAF School of Aerospace Medicine Office of the Chief Scientist, Brooks AFB, TX 78235 (1 Copy for Dr. Russell R. Burton)	1
USAF School of Aerospace Medicine USAFSAM/VNB, Brooks AFB, TX 78235 (1 Copy for Dr. John W. Burns)	1
Air National Guard Support Center Mail Stop #18, Andrews AFB, DC 20331 (1 Copy for ANGSC/SG)	1
Advanced Physiologic Training Unit 833 Med Gp/SGT, Holloman AFB, NM 88330 (1 Copy for 833 Med Gp/SGT)	1
Federal Aviation Administration CAMI Library AAC 64D1, P.O. Box 25082, Oklahoma City, OK 73125 (1 Copy for Civil Aeromedical Institute)	1
Headquarters, U.S. Air Force Bolling AFB, DC 20332 (1 Copy for Office of the Surgeon General (SGP))	1

**END
FILMED**

DATE:

4-91

DTIC